

File No. _____

REF ID: A63939

T. 25 R. 5E 76

TRIPLICATE

County _____

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground

(Elev. above sea level _____.)

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 231, Montana Session Laws, 1961)

Owner NGUYEN, HUY MAR Address 1111 1st St. N. N. W.

Driller _____ Address _____

Date of Notice of appropriation of groundwater.....

Date well started June 1, 1900 Date completed June 7, 1900


Type of well 11111 Equipment used 11111
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

[illegible]

2007
2008
2009



Static Water Level for non-flowing well 11 feet.

Shut-in Pressure for Flowing Well.....

Pumping Water Level.....feet
at.....gal. per minute.

Discharge in gal. per min. of flowing well

How Tested.....

Length of Test.....

Remarks: (Gravel packing, cementing, packers, type of shutoff).....

SW 1/4
SE 1/4 Sec. 16 T. 25 R. 5E
Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

... (Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

File No. _____

RECEIVEDT 25 R 5E 16

TRIPLICATE

County _____

LOG

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATION

Top of Ground

(Elev. above sea level _____)

0 - 2 feet
Topsoil2 - 11 feet
Dirty loess, Sand
& Gravel11 feet
Static water level11 - 25 feet
Sand and Gravel25 - 35 feet
Tight Sand & Gravel**Notice of Completion of Groundwater
Appropriation by Means of Well**
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Buckey Walker MARLENE STAR BOX 52-D
Walker Address Route 2, Bozeman, Mont.Driller Edgar Williams and W. W. Williams Address 1111 S. Bozeman, Mont.

Date of Notice of appropriation of groundwater _____

Date well started June 4, 1960 Date completed June 7, 1960Type of well drilled Equipment used cable tool
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐


Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 7.2. 280 wall 19"	+1	35			

5359

6-29-73

3:04 p.m.

Static Water Level for non-flowing well
_____ 11 _____ feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level _____ feet
at _____ gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested _____

Length of Test _____

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

S W 1/4
S. E. 1/4 Sec. 14 T. 25 R. 5E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 130Driller's Signature [Signature]

55506

3359

State of Montana ss.
County of Gallatin
Filed June 29 1973
at 3:04 o'clock P.M.
Carl E. Stucky
County Clerk & Recorder
By Alma L. Hall
Deputy
Fee \$ 2.00

File No. _____

T 2S R 5E

DUPLICATE

County Gallatin


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

James L. Bradley and Florence R. Bradley

1. By: JAMES CURTIS BRADLEY of R. #1 Bozeman
 (Name of Appropriator) (Address) (Town)
 County of Gallatin State of Montana
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 17 T. 2S R. 5E

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based for irrigation and stock water out of the Bradley Spring which rises approximately 600 feet west and 400 feet north of the Southeast corner of Section 17, T2S R5E, M.P.M.

3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous since 1930 to knowledge of undersigned and apparently spring water use has been appurtenant to the place for several years prior thereto from appearances of fences, pasture lands, etc.

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 25 inches miner's measurement

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof The southeast quarter of Section 17, T2S, R5E, M.P.M. Land is in name of James L. Bradley and Florence R. Bradley, mother and father of undersigned.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Partially dug and partially natural flow

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater the groundwater flows to the surface by gravity.

8. The depth of water table at surface

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater none now installed

10. The estimated amount of groundwater withdrawn each year Flows about 5 inches and can probably be developed to flow as much as 25 inches.

11. The log of formations encountered in the drilling of each well if available none

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record The undersigned makes this declaration as a tenant of the owners and not as a personal right.

Signature of Owner James L. Bradley

Date December 30, 1973

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

35764

1050

CHARTERED JOURNAL
DATE OF JOURNAL
12-31-1943
1.58
Jani Miller
By: [Signature]
Page 200

File No. _____

T 28 R 5E

DUPLICATE


County Gallatin

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. James L. and Florence R. Bradley of Route 1, Roseman
(Name of Appropriator) (Address) (Town)
County of Gallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 17 T. 28 R. 5E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based... Domestic and cattle
3. Date or approximate date of earliest beneficial use; and how continuous the use has been... 1919
used continuously
4. The amount of groundwater claimed (in miner's inches or gallons per minute)... 60 gallons
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof... lawn and garden
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal...
electric pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater... 1919
8. The depth of water table... Varies
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater...
5 inch casing, 24 feet deep
10. The estimated amount of groundwater withdrawn each year... 825,000 gallons
11. The log of formations encountered in the drilling of each well if available...
Unknown
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record...
No record

James L. Bradley
Mark
Witness: James L. Bradley

Signature of Owner James L. BradleyDate December 30, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology; and Quadruplicate for the Appropriator.

#1412

County of Carbon) ss.
Filed **December 30**, 1963
At **9:31** o'clock **A.M.**
EARL WALTON
COUNTY CLERK & RECORDER
By *Phema Fiddis*
DEPUTY
Fee \$ **2.00**

File No. _____

T 2S R 5E

DUPLICATE


County Gallatin

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

I, O. A. BRENDEN, of Bozeman,
(Name of Appropriator) (Address) (Town)
County of Gallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NE 1/4 Sec. 17 T2S R. 5E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

Well marked as (1) and Subirrigation as (2) on plat above

2. The beneficial use on which the claim is based is domestic, stock water and subirrigation of pasture
3. Date or approximate date of earliest beneficial use; and how continuous the use has been (1) well, continuous since 1925
(2) subirrigation continuous since 1880
4. The amount of groundwater claimed (in miner's inches or gallons per minute) (1) Well is 12 gallon per minute
(2) is 50 miners inches
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Subirrigation for total acreage
O. A. Brenden
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Well marked as (1) on plat is deep well pump and subirrigation marked as (2) on plat -- also dug drain ditch with wood tiling
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Well (1) completed in spring of 1925, and (2) has been continued since original ownership; drain ditch for stock water in 1945.
8. The depth of water table Well (1) is 30 feet; (2) sub-irrigation water table 5 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater (1) Drilled well, 24" by 60 feet.
10. The estimated amount of groundwater withdrawn each year (1) well 600,000 gallon per year
(2) 34,000 gallon per acre
11. The log of formations encountered in the drilling of each well if available none available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record none available.

OK Executed by the undersigned on behalf of the owner as the lessee and agent of, and at the request of the owner, as a declaration of vested groundwater rights which are appurtenant to the above described lands:

Signature of Owner O. A. BRENDEN
By James Brenden Date Dec. 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

1496

Rev 31
10:38
By *Theresa Pettit*
Fee \$ *7.00*

RECEIVED

25-5E

17

GW 3 Revised 1969
191-1500-10/69

County GALLATIN

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.


Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 306E April 24, 1972
10:20 A.M.

GW 1 _____



SE 1/4 SE 1/4 Sec. 17
T. 2 R. 5 E. 5

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or estimated _____

Owner EDU H. OEDERTY H. FELLERHOFF

Address 1024 SOUTH GRAUD BOZEMAN

Contractor (if any) NONE

Address of Contractor _____

Date Started May 8, 1972 Date Completed May 15, 1972

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) _____

NATURAL SPRING
(See attached sheet)

2. Means of withdrawing water (gravity, pump, canal, etc.) _____

GRAVITY

3. Depth of water table SURFACE

4. Use of the water IRRIGATION &

FEED ANIMALS

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 40 GALLONS PER

MINUTE

6. If used for irrigation, give number of acres and description of land 36.4 ACRES - FLAT

& CLEARED LAND

7. Estimate amount of water used each year 21,000

8. Months of year spring flows APRIL - DEC

Signature of Owner Bert H. Fellerhoff

Date April 24, 1972

50,262

3066

State of Montana
County of Gallatin

Filed April 24 1972

at 10:30 o'clock A.M.

Carlson, Sheriff

County Clerk & Recorder

By Alta M. Hargan

Deputy

Fee \$ 2.00 Ad

County.....

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL
Developed After January 1, 1962

RECEIVED

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File 3066 April 24, 1972

12:30 P.M.

GW 1

Owner

Address

Contractor (if any)

Address of Contractor

Date Started MAY 8, 1972 Date Completed MAY 15, 1972

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Should be developed!

DUG DOWN 5 FEET & PLACED 24" DIAMETER GALVANIZED

TUBING OVER SPRING SOURCE. TUBING HAS HOLES FOR
ESCAPE OF EXCESS FLOW - FILLED DIRT & GRAVEL
AROUND AREA - INSTALLED HAND PUMP FOR YEAR ROUND
WATER - FUTURE USE - POSSIBLE FISH POND

2. Means of withdrawing water (gravity, pump, canal, etc.)

3. Depth of water table


4. Use of the water

5. Amount of groundwater claimed (in miner's inches or gallons per minute)

6. If used for irrigation, give number of acres and description of land

7. Estimate amount of water used each year

8. Months of year spring flows



1/4 Sec. 14 Sec.

T. N R. E
S 57

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.
Elevation of spring, if known or esti-

mated

Date

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner H. Allen McKinney

Address 519 Hastings, Missoula

Date well started 12/1/62

completed 12/1/62

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Rotary Drill

(Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☒ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐ * Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
8"	5/8" x .250	0'	21'			



Static water level ft.*
Pumping water level ft.*
at gallons per minute,
measured minutes after pumping
began.

*Measured from ground level.

Well developed by
for hours.

Power Pump HP

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

Section 17

T. 12 N. R. 2 E. S. 3

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature H. Allen McKinney

Driller's Address 519 Hastings, Missoula

LICENSE NO. 12345

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	2	Top Soil & Clay
2	3	Coarse Gravel
3	30	Gravel with Clay
30	42	Fine Gravel
42	45	Clay with Gravel
45	51	Fine Gravel
51	58	Clay with Gravel
58	62	Fine Gravel
62	70	Clay
70	82	Fine Gravel & Sand
82	87	Clay

Show exact depth of bottom

40,338

3239

State of Missouri
County of Carter

Filed May 31, 1973
at 9:50 o'clock A.M.

By Arthur M. Whitman
Deputy

Fee \$ 2.00 pd

RECEIVED

T 2S R 5E 17/18
County Gallatin

STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner Chas Sales Address P.O. One Bogenman
Driller Van Dyken Drilling Co. Address Bogenman
Date Started March 2/58 Date Completed March 15/58
Location: Sec. 17+18 T. 2S R. 5E 1/4 sec.

Type of well Drilled (Dug, driven, bored, or drilled) Equipment used Cable tools (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other:

Casing: 0 ft. to 39 ft. Type: Size:

Casing: ft. to ft. Type: Size:

Casing: ft. to ft. Type: Size:

Perforated or Screened: Ft. to ft. Ft. to ft.

Type of screen or perforations:

Static Water level, for non-flowing well: 11 feet.

Shut-in pressure, for flowing well: lb. sq. in. on: (date)

Pumping water level 30 feet at 2:56 P.M. gal. per min.

How tested: Bailor

Length of test: 1 hr.

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

Depth, feet		Description of Material Drilled
From	To	
0	5	Clays
5	40	sand, gravel Boulders (Water)

Callahan County, Tex.
 State of Texas
 Filed 11/24/58
 345-10
 Card Station
 By [Signature] 11/24/58
 Fee \$

Form No. 18
8-60

T. 2 south R. 5 east

County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

STATE ENGINEER

Water well log

★	

Owner Abe Burkenpas Address Bozeman, Montana

Driller unknown Address _____

Date started unknown Date completed unknown

Location: Sec. 18 T. 2 S R. 5 E 1 sec. NW $\frac{1}{4}$ NW $\frac{1}{4}$ 11.23 Acre

Type of well drilled equipment used unknown
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing: 5 ft. to 35 ft. Type thick-wall pipe Size 4 inch

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: ft. _____ to ft. _____. ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 7 ft. _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level unknown feet at _____ gal. per min. _____

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

300

Dec 25
1:47 P
Carl Wallen
Lett 60 Maple St
2nd fl

Form No. 18
8-60

T. 2 south R. 5 east


County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

Water well log

STATE ENGINEER



Owner W. J. H. H. H. Address Bozeman, Montana

Driller unknown Address

Date Started unknown Date Completed unknown

Location: Sec. 10 T. 1 R. 5 sec. NW 1/4 11.23 acres

Type of well dug Equipment used
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other

Casing: 0 ft. to 20 ft. Type tile Size 6 inch

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations

Static water level, for non-flowing well: 17 ft. feet.

Shut-in pressure, for flowing well: lb./sq. in. on:
(date)

Pumping water level unknown feet at gal. per min.

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Form No. 18
8-60

T. 2 south R. 5 east

County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JAN 4 1962

Water Well Log

STATE ENGINEER

1		

Owner Bob Johnson Address Bozeman, Montana

Driller unknown Address

Date Started unknown Date Completed unknown

Location: Sec. 18 T. 2 R. 5 $\frac{1}{4}$ sec. NW 1/4 11.23 Acres

Type of well dug Equipment used unknown
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other

Casing: 0 ft. to 20 ft. Type tile Size 6 inch

Casing: ft. to ft. Type Size

Casing: ft. to ft. Type Size

Perforated or screened: Ft. to ft. . Ft. to ft.

Type of screen or perforations

Static water level, for non-flowing well: 17 ft. feet.

Shut-in pressure, for flowing well: lb./sq. in. on:
(date)

Pumping water level unknown feet at gal. per min.

How tested:

Length of test

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

#799

Madison County, Miss.
Shirley, Mississippi 385
Filed Dec 28 1961
at 1:45 P.M.
Carl W. [Signature]
COUNTY CLERK & RECORDER
By [Signature] DEPUTY
Fee \$ 20.00

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Harold and, or Lavette Seppington
Address RT-1
Bozeman, MT
Date well started Oct 28 1972
completed Nov 24 1972

For Administrator's Use
File # <u>3174</u>
<u>Dec 2 - 1972</u>
<u>11:15 A.M.</u>
GW 1

Type of well Drilled
(Dug, driven, bored or drilled)
Equipment used Cable tool
(Churn drill, rotary or other)
Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe _____
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). _____

ESTIMATED ANNUAL WITHDRAWAL						
Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	17 lb					
	6 5/8 OD					
		1ft 6" above	50	None		

N
W X E
S

E 2 5/4 N 1/4 Sec. 18
T. 2 R. 5 E
S

Static water level 33ft 6"
Pumping water level 37ft ft.
at 20 gallons per minute,
measured 30 minutes after pumping began.
*Measured from ground level.
Well developed by Pump
for 3 hours.
Power 115 volt pump 1/2 HP
Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature David B. Hulbert
Driller's Address Rt. One Bozeman, Montana
Hulbert Drilling LICENSE NO. 47

County Gallatin

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground		(Elev. above sea level)
From (Feet)	To (Feet)	
0	1	soil
1	5	gravel
5	7	sand
7	10	gravel and sand
10	15	gravel & rock
15	20	sand & some water
20	24	gravel & rock
24	30	sand & silt
30	40	clay & sand
40	42	fine sand & some water
42	46	sand gravel & clay
46	48	sand gravel & water
48	52	very little ball dry water & sand

51ft 6" Show exact depth of bottom

#3174

State of Montana) ss.
County of Gallatin
Filed Dec 27, 19 72
at 11:15 o'clock A.M.
Carl L. Stucky
County Clerk & Recorder
By Lucille A. Bridges
Deputy
Fee \$ 2.00

File No. _____

T. 2 S. 24 N. R. 5 E. Sec. 18

DUPLICATE

County Gallatin

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERNotice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground
(Elev. above sea level _____)

0' - 1' top soils.

1' - 27' Claybound sand and
gravels. Wet.
Gas bubbles thru
the water.

27' - 34' Very silty sands
and fine gravels.
10 G.P.M.

34' - 38' Clean sand and
gravels. Water.

T.D. 38'


Owner BRUCE SIREN Address BOZEMAN, MONTANADriller VAN DYKEN DRILLING CO. Address BOZEMAN, MONTANADate of Notice of appropriation of groundwater NONEDate well started 9/8/69 Date completed 9/10/69Type of well Drilled Equipment used Cable tools.
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

MONTANA WATER RESOURCES BOARD
RECEIVED

JAN 19 1970

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6 5/8" C.J. 17 1/2 per Ft. Tested.	0'	38'	none		



Doc. No. 2260

Filed for record
this 16 day of January
A.D. 19 70 at 12:20
o'clock P.M.

N. 4 1/4 S. 24 N. R. 5 E. Sec. 18

Indicate location of well and
place of use, if possible. Each
small square represents 40
acres.

Static Water Level for non-flowing well
16 feet.Shut-in Pressure for Flowing Well nonePumping Water Level 32 feet
at 20 gal. per minute.Discharge in gal. per min. of flowing well
noneHow Tested Bailer.Length of Test 2 Hrs.

Remarks: (Gravel packing, cementing, pack-
ers, type of shutoff) Puddled clays
and gravels outside of
casing from 0' to 38'

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state
number of acres and location or other data (i.e.: Lot, Block and Addi-
tion).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the
County Clerk and Recorder in the county in which the well is located, tissue copy to be
retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be
returned.

LICENSE NO. 1

Driller's License Number

Driller's Signature

Bert Van Dyken

46057

2260

State of Montana } ss.
County of Gallatin }
Filed January 16, 1970
at 12:20 o'clock P.M.
Carl L. Sizby
County Clerk & Recorder
By Kenneth A. Maxwell
Deputy
Fee \$ 2.00

File No.

T. 2 S. R. 5 E.

DUPLICATE

County Gallatin


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 15 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. L. MASON THOMPSON of Route #1, Bozeman
(Name of Appropriator) (Address) (Town)
County of Gallatin State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



NW Sec. 18 T2S R. 5E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based House water supply and livestock
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Approximately 25 years, use constant.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) Approximately 20 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Just lawn and garden next to house
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric automatic water system
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Exact date not known, but ever since house was there, guess 25 years.
8. The depth of water table Approximately 8 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
Drilled 6" case, 36 feet deep.
10. The estimated amount of groundwater withdrawn each year 5 1/2 million gallon
11. The log of formations encountered in the drilling of each well if available. Not available; all gravel.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Not known

Signature of Owner

Date 12-30-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

36001

#1693

State of Montana)
County of Gallatin) ss.
Filed Dec. 31, 1963
at 2 3:00 o'clock P. M.
EARL WALTON
COUNTY CLERK & RECORDER
By *A. H. Hapwell*
DEPUTY
Fee \$ 2.00

County Gallatin 18

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Law, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner L. Mason Thompson

Address Route 1.

Bozeman, Montana

Date well started 7-31-72

completed 4-72

Type of well drilled

(Dug, driven, bored or drilled)

Equipment used cable tool

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐ Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 17'	+8"	39' 8"			



1/4 Sec. 18
T. 28 N. R. 5 E. E
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Thurft a Potts

Driller's Address Potts Drilling and Developing

Route 1. Bozeman, Montana

LICENSE NO. 190

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

From (Feet)	To (Feet)	
0	4	topsoils
4	15	clay, overburden
15	25	coarse, dirty sand & gravel
25	40	dirty sand & gravel
40	55	claybound gravel
55	82	clay
82	90	sand & gravel

93 Show exact depth of bottom

52.321

3185

State of Montana)
County of Gallatin) ss.
Filed Jan. 19, 1973
at 2:15 o'clock P.M.
Carl L. Stucky
County Clerk & Recorder
By Frank A. Bridges
Deputy
Fee \$ 2.00 pd.

File No. _____

T 25 R 5E

DUPLICATE


County _____

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Clay D. Blackwood of Lawman Montana
(Name of Appropriator) (Address) (Town)
County of Lawson State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 34 SE Sec. 19 T. 25 R. 5E
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Drill & farm yard
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 19705 continuous
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 200 gal per min
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof 2.0 ac - Nelson & Galt
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal by hand pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 8-63
8. The depth of water table 15'
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Drill well 22' deep 11" casing
10. The estimated amount of groundwater withdrawn each year 300,000 gal
11. The log of formations encountered in the drilling of each well if available ---
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record ---

Signature of Owner

Date Jan 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

35699

1315

County of Galatia ss.
Filed 12-30 1963
at 3:51 o'clock P.M.
Earl Walton
By John J. [illegible]
[illegible]

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the **owner** with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Red L. H. H. H.

Address

Date well started April 12, 1972

completed Jan 14, 1972

Type of well Dug

(Dug, driven, bored or drilled)

Equipment used Chain Saw

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

* Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in.	2 1/2 in. 10 lb.	Bottom	400'	—	—	—



Static water level 12 ft.
Pumping water level 44 ft.
at 1 gallons per minute,
measured 10 minutes after pumping
began.

*Measured from ground level.

Well developed by
for hours.

Power..... Pump..... HP.....

Remarks: (Gravel packing, cementing,
packers, type of shutoff)

Time 1/4 1/4 Sec 17
T. 2 N. R. 5 E.
S W

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature [Signature]

Driller's Address

..... LICENSE NO.

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)

[illegible]

Show exact depth of bottom

53100

3273

State of Montana / ss.
County of Gallatin
and June 22, 1973
at 1:20 o'clock P.M.
Paul J. St. John
County Clerk & Recorder
By Alta Hargan
Deputy
Case \$ 2nd 2d.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Franklin Oliver

Address 1111 1st St

Bozeman, Montana

Date well started July 1, 1971

completed July 1, 1971

For Administrator's Use

File 3005
October 5, 1971
8:30 AM

GW 1

Type of well Drilled

(Dug, driven, bored or drilled)

Equipment used Cable Tool

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" 10' 10'	1	10'			



West 25 acres

SE 1/4 SW 1/4 Sec 20

T. 2 N. R. 5 E. S. 20

Static water level 25 ft.*
Pumping water level 17 ft.*
at 15 gallons per minute,
measured 15 minutes after pumping
began.

*Measured from ground level.

Well developed by

for 15 hours.

Power 15 HP

Remarks: (Gravel packing, cementing, packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Franklin Oliver

Driller's Address 1111 1st St

County Blaine LICENSE NO. 49199

County Blaine

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	5	Soils
5	10	Clay, coarse sand
10	15	Gravel, sandstone
15	20	Static water level

Show exact depth of bottom

49199

#3008

State of Montana
County of Gallatin ss.
Filed October 5, 1977
at 8:30 o'clock A.M.
Carl L. Stucky
County Clerk & Recorder
By Lenell A. Bridges
Deputy
Fee \$ 2.00

53, 139
~~53, 139~~

3337

State of Montana : ss.
County of Gallatin
Filed May 7 1973
at 1:30 o'clock P.M.
By Carl L. Stucky
County Clerk & Recorder
By Frank A. Bridges
Deputy
Fee \$ 2.00

CW

File No.

DUPLICATE

T. 25 R. 5 E

County Golden


STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, Thos B & Emma L. Todd, of The Route 100,
(Name of Appropriator) (Address) (Town)
County of Golden State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 20 T2S R. 5E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Domestic
 3. Date or approximate date of earliest beneficial use; and how continuous the use has been since 1937 daily
 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 gallons Per 24 hrs.
 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof by own front garden
 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Electric Pump
 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater since 1937
 8. The depth of water table 15 ft
 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 120 ft drilled hole
 10. The estimated amount of groundwater withdrawn each year 182,500 gallons
 11. The log of formations encountered in the drilling of each well if available not known
 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.
- Signature of Owner Thos B. Todd
Date June 1, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

460

Jan. 8,

3:00

P.

Carl Waller

Ida J. Morrow

File No. _____

T. 2S R. 5E

10

DUPLICATE

County Gallatin

LOG

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
STATE WATER CONSERVATION BOARD

Notice of Completion of Groundwater
Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

Darlene E WalkerOwner Lawrence Walker Address Route #1, Bozeman, Mont.Driller Potts Drilling and Dev. Address 2, 3, 4, Bozeman, Montana

Date of Notice of appropriation of groundwater _____

Date well started July 26, 1970 Date completed July 29, 1970Type of well drilled Equipment used Cable tool
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground
(Elev. above sea level _____)

0 - 1' 6"

Topsoil

1' 6" - 2' 4"

Overburden

2 1/2 feet

Static Water Level

2' - 18 feet

Claybound, dirty
Sand and Gravel

18 feet

Very dirty Overburden

39-40


SAND AND GRAVELS

Doc. No. 2300

Filed for record

this 11 day of AugustA. D. 19 70, at 1:00o'clock P. M.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	6" I.D. 250 Wall	+1	39' 0"			



Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well
2 1/2 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 21 feet
at 20 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested Pumped

Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

150

Driller's License Number

Driller's Signature

47351

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Show exact depth of bottom.

USE—If use for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

(Continue on reverse side)

2300

State of Montana : ss.
County of Gallatin
Filed Aug 11, 1970
at 11:00 o'clock P.M.
Carl L. Stucky
County Clerk & Recorder
By Walter M. Morgan
Deputy
Ecc S. J. G. J. G.


Form No. 15
8-00

T. 25 S. SE
County Gallatin

20

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water well log



Owner Delmar White Address Star RT Bozeman

Driller UNKNOWN Address _____

Date Started 1875 Date Completed 1875

Location: Sec. 20 T. 25 R. SE ^{APPROX} 1/2 Sec. West of the East
Side of S-E 1/4 of
Section 20.

Type of well Dug (Hand) Equipment used Shovel
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other _____

Casing: 0 ft. to 15 ft. Type galvanized Size 8"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. Nine to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations NONE

Static water level, for non-flowing well: 1 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level 11 feet at 20 gal. per min.

How tested. By Pumping

Length of test 1 hr

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

feet
0 to 1 1/2 - top soil
1 1/2 to 15 - sand & gravel

Log


Gallatin County,) ss.
State of Montana.)
Filed Dec 29, 1961
at 4:30 o'clock P. M.
County Clerk's Office
COUNTY CLERK & RECORDER
By [Signature]
DEPUTY
Fee \$ 2.00 paid

#439

20

T. 2S R. 5E
County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana



Water well log

Owner Delmer White Address Star Rt. Bozeman

Driller UNKNOWN Address _____

Date Started 1911 Date Completed 1911

Location: Sec. 20 T. 2S R. 5E $\frac{1}{4}$ sec. East side of
S-E 1/4 of sec. 20

Type of well drilled Equipment used drill
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing: 0 ft. to 30 ft. Type well Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. none to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations none

Static water level, for non-flowing well: 1 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(data)

Pumping water level 25 feet at 20 gal. per min.

How tested: Bail

Length of test 1 hr

Remarks: Gravel packing, cementing, packers, type or shut-off, depth of
shut-off

#438

Log

feet

0 to 1 1/2 - top soil
1 1/2 - 30 - sand & gravel

Gallatin County, } ss.
State of Montana, }
Filed Dec 17, 1961
at 4:32 o'clock P.M.
Carl Hall
COUNTY CLERK & RECORDER
By W. A. Hall
DEPUTY
Fee \$ 2.00

County San Diego

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner _____

Address _____

[illegible]

Date well started 22. 5. 19

completed Feb. 2, 1952

Type of well drilled

(Dug, driven, bored or drilled)

Equipment used Cable Tool

(Churn drill, rotary or other)

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
3"	5 17.1	1.2	1.1	1/8"	1.2	1.1
				1/4"	1.2	1.1
				3/8"	1.2	1.1
				1/2"	1.2	1.1
				5/8"	1.2	1.1
				3/4"	1.2	1.1
				7/8"	1.2	1.1
				1"	1.2	1.1
				1 1/8"	1.2	1.1
				1 1/4"	1.2	1.1
				1 3/8"	1.2	1.1
				1 1/2"	1.2	1.1
				1 3/4"	1.2	1.1
				1 7/8"	1.2	1.1
				2"	1.2	1.1
				2 1/8"	1.2	1.1
				2 1/4"	1.2	1.1
				2 3/8"	1.2	1.1
				2 1/2"	1.2	1.1
				2 3/4"	1.2	1.1
				2 7/8"	1.2	1.1
				3"	1.2	1.1
				3 1/8"	1.2	1.1
				3 1/4"	1.2	1.1
				3 3/8"	1.2	1.1
				3 1/2"	1.2	1.1
				3 3/4"	1.2	1.1
				3 7/8"	1.2	1.1
				4"	1.2	1.1
				4 1/8"	1.2	1.1
				4 1/4"	1.2	1.1
				4 3/8"	1.2	1.1
				4 1/2"	1.2	1.1
				4 3/4"	1.2	1.1
				4 7/8"	1.2	1.1
				5"	1.2	1.1
				5 1/8"	1.2	1.1
				5 1/4"	1.2	1.1
				5 3/8"	1.2	1.1
				5 1/2"	1.2	1.1
				5 3/4"	1.2	1.1
				5 7/8"	1.2	1.1
				6"	1.2	1.1
				6 1/8"	1.2	1.1
				6 1/4"	1.2	1.1
				6 3/8"	1.2	1.1
				6 1/2"	1.2	1.1
				6 3/4"	1.2	1.1
				6 7/8"	1.2	1.1
				7"	1.2	1.1
				7 1/8"	1.2	1.1
				7 1/4"	1.2	1.1
				7 3/8"	1.2	1.1
				7 1/2"	1.2	1.1
				7 3/4"	1.2	1.1
				7 7/8"	1.2	1.1
				8"	1.2	1.1
				8 1/8"	1.2	1.1
				8 1/4"	1.2	1.1
				8 3/8"	1.2	1.1
				8 1/2"	1.2	1.1
				8 3/4"	1.2	1.1
				8 7/8"	1.2	1.1
				9"	1.2	1.1
				9 1/8"	1.2	1.1
				9 1/4"	1.2	1.1
				9 3/8"	1.2	1.1
				9 1/2"	1.2	1.1
				9 3/4"	1.2	1.1
				9 7/8"	1.2	1.1
				10"	1.2	1.1
				10 1/8"	1.2	1.1
				10 1/4"	1.2	1.1
				10 3/8"	1.2	1.1
				10 1/2"	1.2	1.1
				10 3/4"	1.2	1.1
				10 7/8"	1.2	1.1
				11"	1.2	1.1
				11 1/8"	1.2	1.1
				11 1/4"	1.2	1.1
				11 3/8"	1.2	1.1
				11 1/2"	1.2	1.1
				11 3/4"	1.2	1.1
				11 7/8"	1.2	1.1



Static water levelft.
Pumping water levelft.
atgallons per minute,
measuredminutes after pumping
began.

*Measured from ground level.
Well developed by _____
for _____ hours.

Power..... Pump..... HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature _____

Driller's Address

LICENSE NO

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground

(Elev. above sea level)

From (Feet)	To (Feet)	
	1	Topsoil
1	10	Gravel, dirty overburden
10	25	Gravel, water level
25	35	Gravel, water level
35	45	Gravel, water level
45	100	Gravel, water level

Show exact depth of bottom

#2353

State of Montana } ss.
County of Gallatin

Filed March 3, 19 71

at 11:00 o'clock A.M.

Carl L. Stucky
County Clerk & Recorder

Samuel A. Maples
Deputy

For: 2 ad.

Wrong Form
File S.W. Form.
Send letter!
At Spring Cr. Adj.?

25-SE

County Gallatin

20

INTANA
 OUNDWATER CODE
 SOURCES BOARD

TER APPROPRIATION WITHOUT WELL
 nuary 1, 1962

on Laws, 1961, as amended)

by the owner.

Clerk and Recorder of the county in which the works

otherwise the form may be returned.


amon S. & Jack H White

tar Route Gallatin Gateway Mont.

(if any) None

Contractor

Date Completed



8 1/2 E 1/2

1/4 Sec. 20

T. 25 N. R. 5E E. 1/4

INDICATE POINT OF APPROPRIATION
 AND PLACE OF USE, IF POSSIBLE.
 Elevation of spring, if known or esti-

mated 8 1/2 E 1/2 Sec 20 25SE

1. ~~Describe~~ means of obtaining groundwater (as by sub-irrigation,
 developed spring, drains, etc.) Spring Creek

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity & Pump

3. Depth of water table Surface

4. Use of the water Irrigation of Agriculture
land

5. Amount of groundwater claimed (in miner's inches or gallons
 per minute) 400 miner inches

6. If used for irrigation, give number of acres and description
 of land 160 acres S 1/2 NW 1/4, SE 1/4 NW 1/4

7. Estimate amount of water used each year
400 miner inches

8. Months of year spring flows 12 months

Signature of Owner

Ramon White

Date

Nov 29 1972

51,924

County Gallatin 26

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.


Please answer all questions. If not applicable, so state, otherwise the form may be returned.

For Administrator's Use

File # 3169

Mar. 30, 1972 10:35a.

GW 1



E 1/2 E 1/2
1/4 Sec. 20

T. 2S R. 5E E. 1/4

S. 1/4 W. 1/4

INDICATE POINT OF APPROPRIATION
AND PLACE OF USE, IF POSSIBLE.

Elevation of spring, if known or estimated 8150 Sec 20 2S5E

Owner Ramon S & Jack M White

Address Star Route Gallatin Gateway Mont.

Contractor (if any) None

Address of Contractor

Date Started Date Completed

1. Describe means of obtaining groundwater (as by sub-irrigation, developed spring, drains, etc.) Spring Creek

2. Means of withdrawing water (gravity, pump, canal, etc.) Gravity & Pump

3. Depth of water table Surface

4. Use of the water Irrigation of Agriculture land

5. Amount of groundwater claimed (in miner's inches or gallons per minute) 400 miner inches

6. If used for irrigation, give number of acres and description of land 160 acres S 1/4 E 1/2 Sec 20

7. Estimate amount of water used each year 400 miner inches

8. Months of year spring flows 12 months

Signature of Owner Ramon S White

Date Mar 29 1972

51,924

#3169

State of Montana } ss.
County of Gallatin }
Filed Nov. 30, 1972
at 10:35 o'clock A.M.
Carl L. Stuebe
County Clerk & Recorder
By Lucille H. Bridger
Deputy
Fee \$ 2.00 pd.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Laura Bleasard

Address Star 1.

Bozeman, Montana

Date well started 7-28-71

completed 7-29-71

Type of well drilled

(Dug, driven, bored or drilled)

Equipment used table tool

(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☒

*Describe

USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6"	5" 11.5" 100' 11.5"	4"	100'			



NE 1/4 NW 1/4 Sec. 51
T. 2 N. R. 5 E. S. 5

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature L. B. A. Pitts

Driller's Address Star 1, Bozeman, MT

License No. 150

County Blaine

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
1	2	overburden
2	3	
3	4	
4	5	
5	6	
6	7	
7	8	
8	9	
9	10	
10	11	
11	12	
12	13	
13	14	
14	15	
15	16	
16	17	
17	18	
18	19	
19	20	
20	21	
21	22	
22	23	
23	24	
24	25	
25	26	
26	27	
27	28	
28	29	
29	30	
30	31	
31	32	
32	33	
33	34	
34	35	
35	36	
36	37	
37	38	
38	39	
39	40	
40	41	
41	42	
42	43	
43	44	
44	45	
45	46	
46	47	
47	48	
48	49	
49	50	
50	51	
51	52	
52	53	
53	54	
54	55	
55	56	
56	57	
57	58	
58	59	
59	60	
60	61	
61	62	
62	63	
63	64	
64	65	
65	66	
66	67	
67	68	
68	69	
69	70	
70	71	
71	72	
72	73	
73	74	
74	75	
75	76	
76	77	
77	78	
78	79	
79	80	
80	81	
81	82	
82	83	
83	84	
84	85	
85	86	
86	87	
87	88	
88	89	
89	90	
90	91	
91	92	
92	93	
93	94	
94	95	
95	96	
96	97	
97	98	
98	99	
99	100	

Show exact depth of bottom

5710

3005

State of Montana
County of Gallatin
Filed Sept 30, 1971
at 10:30 o'clock A. M.
Carl J. Stacey
County Clerk & Recorder
By Alta M. Haugen
Deputy
Fee \$ 2.00 Qd.

File No. _____

T. 28 R. 5E 20

DUPLICATE

County Gallatin

LOG

MAR 25 1968

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation by Means of Well

DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Donald W. Townsend Address Star Route BoxDriller Donald C. Jones Address 2177 Bridge Dr.

Date of Notice of appropriation of groundwater _____

Date well started March 4, 1968 Date completed March 7, 1968Type of well Drilled Equipment used Shank Well
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Top of Ground
Top Soil
(Elev. above sea level _____)

State water level

Gravel

Sand

Sand & Fine Gravel with Clay

Sand & Fine Gravel bound in Clay

Sand & Gravel

Bottom of well

Show exact depth of bottom.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 in.	6 5/8" 20.0	2' above Ground	33'	—	—	—
	17 1/2					

N

W

E

S

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well

_____ feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 33 feetat 30 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested PumpLength of Test 45 min.

Remarks: (Gravel packing, cementing, pack-

ers, type of shutoff) _____

N 1/2 NE 1/4 Sec. 20 T2S R5E

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located. Tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Driller's Signature

2147

State of Montana }
County of Gallatin } ss.
Filed March 21, 1968
at 10:00 o'clock A.M.
Carl L. Stucky
County Clerk & Recorder
By Frank A. Weaver
Deputy
Fee \$ 2.00 pd.

RECEIVED

County DECATUR

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner LEONARD GAGNON + HARRIET P GAGNON

Address BOULDER, MONTANA

Date well started Oct. 4/71
completed Oct. 11/71

For Administrator's Use	
File	<u>5702</u>
GW 1	<u>1210-20</u>

Type of well Drilled
(Dug, driven, bored or drilled)


Equipment used Cable tools.
(Churn drill, rotary or other)

Water Use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐* Garden/Lawn ☐

*Describe
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS	
				Kind Size	From (Feet) To (Feet)
6"	6 5/8" O.D. 17" Tested	0	28	none	



Static water level 3' ft.*
Pumping water level 11' ft.*
at 20 gallons per minute,
measured 60 minutes after pumping
began.

*Measured from ground level.
Well developed by surging
for 2 hours.

Power Pump HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

Drill cuttings and
drill mud shutoff outside
of casing from 0' to 28'

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Harriet P. Gagnon

Driller's Address Box 200, Boulder, Mont.

BOULDER, MONT. LICENSE NO. 1

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	2	Soils and clays.
2	18	Boulders and gravels.
18	24	Sand and gravels.
24	28	Water.
24	28	Claybound sand and gravels. Coarse.
28	29	Real clean sand and gravels.
		T.D. 29'

29' Show exact depth of bottom

3306

State of Nevada
County of Washoe

June 28 73
10¹⁰ AM A

County Clerk & Recorder

By Anna M. Whitman
Deputy

Fee \$ 2.00

Form No. 18
5-60

21

T. 2nd R. 5E
County Gallatin

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

Water Well Log

Owner Donald Givner Address Boraman
Driller W. Jones Address Boraman
Date Started Sept 1959 Date Completed Sept 1959
Location: Sec. 21 T. 2S R. 5E $\frac{1}{4}$ sec. NE 1/4

Type of well Artesian (Dug, driven, or drilled) Equipment used Churn (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Casing: 40 ft. to 40 ft. Type steel Size 6 in

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. 2 to ft. ____ Ft. ____ to ft. ____

Type of screen or perforations: _____

Static water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level 25 feet at 40 gal. per min. _____

How tested: power pump

Length of test 20 minutes

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

[illegible]

359

File No. _____

DUPLICATE

LOG

Top of Ground

(Elev. above sea level _____)

0-4 Soil
 4-15 gravel water
 15-25 sand water
 25-27 " "
 27-29 Clay & sand
 29-38 sand water
 38-39 " "
 39-43 Clay 43 water
 40' bottom of well

STATE OF MONTANA
 ADMINISTRATOR OF GROUNDWATER CODE
 OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
 Appropriation by **MEAT** STATE ENGINEER
 DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)


Owner Donald or Mac H. Givner Address Mr. R. BogmanDriller Harold Hulbut Address Al Bogman Mont

Date of Notice of appropriation of groundwater _____

Date well started Mar 26 1965 Date completed Mar 31 1965Type of well Drilled Equipment used Charn
 (Dug, Driven, Bored or drilled) (Carn drill, rotary or other)Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
 Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	6 5/8" OD 19 lb	2' above 41	41			



SE 1/4 Sec 21 T 28 R 5 E
 Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 13 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 20 feetat 21 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested PackerLength of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff) _____

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number 47Driller's Signature Harold B. Hulbut

39/53

1908

State of Montana }
County of Gallatin } ss.
Filed Nov 25 1965
at 4:30 a.m. Bozeman M.
Curtis L. Stucky
COUNTY CLERK & RECORDER
By [Signature]
Fee \$ 2.62 DEPUTY